

CT ENG: J. BOYDSTON

DO NOT SCALE DWG

TOLERANCES

UNLESS SPECIFIED

PRECISION FOR R. 0.1

PRECISION FOR R. 0.1

PRECISION FOR R. 0.1

DRN. *tdt*
CKD. *J.P.D.*
DATE 10/27/83

HEAT TREAT

MAT'L.

FINISH

SCALE

FULL

USED ON

NO. REQ'D 1 PER

SCHEMATIC DWG
LAMP DRIVER P.C.
A084 - 91673 - B000

REVISIONS


Bally / MIDWAY MFG. CO.
FRANKLIN PK. ILL.

PART NO.

M051 - 00114 - B095

DESIGNATION LIST

<u>DESIGNATION NO.</u>	<u>DESCRIPTION</u>
C1, C2	0.1 MF 50V AX CER
C3	.01 MF 50V AX CER
C4	.1 MF 50V AX CER
C5	150 PF 50V AX CER
C6, C7	100 PF 50V AX CER
CP1	10 MF 16V AX
CP2-CP4	.01 MF 50V AX CER
R1, R2	1K OHM 1/4W 5%
R3	2K OHM 1/4W 5%
R4	10K OHM 1/4W 5%
R5	4.7K OHM 1/4W 5%
R6	100K OHM 1/4W 5%
R7	10K OHM 1/4W 5%
R8	100K OHM 1/4W 5%
R9	10K OHM 1/4W 5%
D1-D4	1N4148 DIODE
U1	74LS244
U2	ADC0804
U3	4066
J1	.025 SQ AUTO WIRE
J2	.025 SQ AUTO WIRE
JW1	JUMPER WIRE
PCMH1-PCMH4	SPACER #8
PC BOARD	A080-91649-C000



PROJECT ENG: J. BOYDSTON	
DO NOT LEAVE THIS	
DRN.	44
CKD.	
DATE	11/11/83

CROSS REFERENCE LIST

<u>DESCRIPTION</u>	<u>QTY</u>	<u>DESIGNATION NO.</u>	<u>PART NOS.</u>
100 PF 50V AX CER	2	C6,C7	0639-00800-0003
150 PF 50V AX CER	1	C5	0307-00800-0002
.01MF 50V AX CER	4	CP2-CP4,C3	0628-00800-0100
.1 MF 50V AX CER	3	C1,C2,C4	0307-00800-0001
10 MF 16V AX	1	CP1	0628-00800-0300
1K OHM 1/4W 5%	2	R1,R2	
2K OHM 1/4W 5%	1	R3	100E-00005-0061
4.7K OHM 1/4W 5%	1	R5	100E-00005-0068
10K OHM 1/4W 5%	3	R4,R7,R9	100E-00005-0079
100K OHM 1/4W 5%	2	R6,R8	100E-00005-0115
1N4148 DIODE	4	D1-D4	103E-00002-0005
4066	1	U3	0307-00803-0002
74LS244	1	U1	0639-00803-0003
ADC0804	1	U2	0307-00803-0001
.025 SQ AUTO WIRE	21	J1,J2	0017-00033-0479
JUMPER WIRE	1	JW1	0986-00805-0200
SPACER #8	4	PCMH1-PCMH4	0017-00042-0320
P.C. BOARD	1		A080-91649-C000

REVISIONS

TON

USED ON DISC OF TRON

Bally / MIDWAY MFG. CO.

FRANKLIN PK IL

HEAT TREAT

SCALE

FULL

NO. REQ'D 1 PER

MAT'L

ASSEMBLY DWC

PART NO.


FINISH


ABSOLUTE POSITION P.C.

M051 - 00114 - C084

A080-91649-C000

11/83



13